

unix

daytime® LED



NEW

Available from September 2026

WRGB Universal LED-System

- colorful, brilliant **WRGB light with "Hyper Red" 660nm** - optimal wavelength for photosynthesis (current research results from science)
- four carefully selected **high-efficiency full-spectrum and high-spectrum LEDs** merge into "WRGB sections" (instead of conventional standard WRGB LEDs)
- **4 colour channels** - individually controllable with the new **Smart Control SC25** > creates any desired lighting scenario
- Efficiency: **125 lumens per watt!** World's highest value for encapsulated or waterproof IP67 WRGB aquarium lights - By the way: The potting is **impact-resistant** and can **be polished** crystal clear
- unix30 – unix300 > Luminaire length in 10 cm increments from **23 – 293 cm (10 – 140 watts)**
- daytime® typical **inline adapter system** (telescopic supports)
- **Compatible** with the existing daytime® converters and onex adapters or mounts
- **black Edition** - also available in black **anodized**

black Edition



unix Complete-Sets



Cost-effective combinations **incl. Smart Control SC25** for all established brand aquariums, all standard sizes, as well as scaping and nano tanks

unix Complete Sets



unix silver sets suitable for all standard and brand aquariums with cover

Set Contents:

- unix silver WRGB Uni LED
- LED-Converter Mean Well
- Smart Control SC25

unix JU Sets



unix silver sets suitable for Juwel® aquariums

Set Contents:

- unix silver WRGB Uni LED
- Adapter-Profile for Juwel®
- LED-Converter Mean Well
- Smart Control SC25

unix Scape Sets



unix **black** Sets suitable for standard and pool aquariums without cover and branded scaping tanks

Set Contents:

- unix **black** WRGB Uni LED
- Acrylic-Adapter Set
- LED-Converter Mean Well
- Smart Control SC25



Technical Info

Housing: Aluminum, solid, matt anodized E6, waterproof potted (IP67)

Available housing colors: silver, black

Light spectrum: WRGB + Hyper Red 660 nm

Colour temperature: 6,500 K | 2,700 – 20,000 K with Smart Control SC25

unix Single luminaires

Model	Luminaire profile length [cm]	Inline telescopic rods adjustable to aquarium length [cm]	Power [W]	Luminous flux [lm]
unix30	23,0	25,0-37,0	9,6	1200
unix40	33,0	35,0-47,0	14,4	1800
unix50	43,0	45,0-57,0	19,2	2400
unix60	53,0	55,0-67,0	24,0	3000
unix70	63,0	65,0-77,0	28,8	3600
unix80	73,0	75,0-87,0	33,6	4200
unix90	83,0	85,0-97,0	38,4	4800
unix100	93,0	95,0-107,0	43,2	5400
unix110	103,0	105,0-117,0	48,0	6000
unix120	113,0	115,0-127,0	52,8	6600
unix130	123,0	125,0-137,0	57,6	7200
unix140	133,0	135,0-147,0	62,4	7800
unix150	143,0	145,0-157,0	67,2	8400
unix160	153,0	155,0-167,0	72,0	9000
unix170	163,0	165,0-177,0	76,8	9600
unix180	173,0	175,0-187,0	81,6	10200
unix190	183,0	185,0-197,0	86,4	10800
unix200	193,0	195,0-207,0	91,2	11400
unix210	203,0	205,0-217,0	96,0	12000
unix220	213,0	215,0-227,0	100,8	12600
unix230	223,0	225,0-237,0	105,6	13200
unix240	233,0	235,0-247,0	110,4	13800
unix250	243,0	245,0-257,0	115,2	14400
unix260	253,0	255,0-267,0	120,0	15000
unix270	263,0	265,0-277,0	124,8	15600
unix280	273,0	275,0-287,0	129,6	16200
unix290	283,0	285,0-297,0	134,4	16800
unix300	293,0	295,0-307,0	139,2	17400

unix Complete-Sets for standard and branded aquariums with cover

Description	Set Contents	suitable for aquariums
unix60 WRGB LED Complete Set	unix60 silver WRGB 53,0cm 24,0W LED-Converter Mean Well GS 24V-25W Smart Control SC25	EHEIM vivalineLED 150 AQUAEL Opti Set 130 STANDARD with cover L60cm
unix70 WRGB LED Complete Set	unix70 silver WRGB 63,0cm 28,8W LED-Converter Mean Well NPF 24V-60W Smart Control SC25	EHEIM proxima 175 & TEC 175, incipiria 230 OASE StyleLine 125, HighLine 175 STANDARD with cover L70cm
unix80 WRGB LED Complete Set	unix80 silver WRGB 73,0cm 33,6W LED-Converter Mean Well NPF 24V-60W Smart Control SC25	AMTRA ALUX 220, EHEIM vivalineLED 126 OASE StyleLine 175 AQUAEL Opti Set 125, Glossy ST 80 STANDARD with cover L80cm
unix90 WRGB LED Complete Set	unix90 silver WRGB 83,0cm 38,4W LED-Converter Mean Well NPF 24V-60W Smart Control SC25	OASE HighLine 200 STANDARD with cover L90cm
unix100 WRGB LED Complete Set	unix100 silver WRGB 93,0cm 43,2W LED-Converter Mean Well NPF 24V-60W Smart Control SC25	EHEIM vivalineLED 180, proxima 250 & TEC 250, incipiria 330 AQUAEL Opti Set 200, Glossy ST 100 STANDARD with cover L100cm
unix110 WRGB LED Complete Set	unix110 silver WRGB 103,0cm 48,0W LED-Converter Mean Well NPF 24V-60W Smart Control SC25	AMTRA ALUX 330 OASE HighLine 300, HighLine Raumteiler STANDARD with cover L110cm
unix120 WRGB LED Complete Set	unix120 silver WRGB 113,0cm 52,8W LED-Converter Mean Well NPF 24V-60W Smart Control SC25	EHEIM vivalineLED 240 AQUAEL Opti Set 240, Glossy ST 120 STANDARD with cover L120cm
unix130 WRGB LED Complete Set	unix130 silver WRGB 123,0cm 57,6W LED-Converter Mean Well NPF 24V-60W Smart Control SC25	EHEIM proxima 325 & TEC 325, incipiria 430 & 430 duo STANDARD with cover L130cm
unix140 WRGB LED Complete Set	unix140 silver WRGB 133,0cm 62,4W LED-Converter Mean Well NPF 24V-90W Smart Control SC25	AMTRA ALUX 450 OASE HighLine 400 AQUAEL Glossy ST 150 STANDARD with cover L140cm
unix150 WRGB LED Complete Set	unix150 silver WRGB 143,0cm 67,2W LED-Converter Mean Well NPF 24V-90W Smart Control SC25	STANDARD with cover L150cm
unix160 WRGB LED Complete Set	2x unix160 silver WRGB 153,0cm 72,0W LED-Converter Mean Well HLG 24V-240W Verteiler, 2-fach Smart Control SC25	EHEIM incipiria 530 & pure OASE HighLine 600 STANDARD with cover L160cm
unix200 WRGB LED Complete Set	2x unix200 silver WRGB 193,0cm 91,2W LED-Converter Mean Well HLG 24V-240W Verteiler, 2-fach Smart Control SC25	EHEIM incipiria 630 STANDARD with cover L200cm

unix JU-Sets for aquariums from JUWEL

Description	Set Contents	suitable for aquariums
unix100+50 WRGB LED JU-TR350 Set	unix100 silver WRGB 93,0cm 43,2W (front) unix50 silver WRGB 43,0cm 19,2W (rear) Ad.-Profil JUWEL 100 + 55, LED-Converter 90W Verteiler 2-fach, Smart Control SC25	JUWEL Trigon 350
unix60 WRGB LED JU-LI120 Set	unix60 silver WRGB 53,0cm 24,0W Adapter-Profil JUWEL 60 LED-Converter 25W, Smart Control SC25	JUWEL Lido 120
unix70 WRGB LED JU-LI200-TR190 Set	unix70 silver WRGB 63,0cm 28,8W Adapter-Profil JUWEL 70 LED-Converter 60W, Smart Control SC25	JUWEL Lido 200, Trigon 190
unix80 WRGB LED JU-RI125 Set	unix80 silver WRGB 73,0cm 33,6W Adapter-Profil JUWEL 80 LED-Converter 60W, Smart Control SC25	JUWEL Rio 125
unix90 WRGB LED JU-VI-180 Set	unix90 silver WRGB 83,0cm 38,4W Adapter-Profil JUWEL 90 LED-Converter 60W, Smart Control SC25	JUWEL Vision 180
unix100 WRGB LED JU-RI180-RI290 Set	unix100 silver WRGB 93,0cm 43,2W Adapter-Profil JUWEL 100 LED-Converter 60W, Smart Control SC25	JUWEL Rio 180 & 290
unix120 WRGB LED JU-RI240-RI300-RI350-VI260 Set	unix120 silver WRGB 113,0cm 52,8W Adapter-Profil JUWEL 120 LED-Converter 60W, Smart Control SC25	JUWEL Rio 240 & 300 & 350, Vision 260
unix150 WRGB LED JU-RI400-RI450-VI450 Set	unix150 silver WRGB 143,0cm 67,2W Adapter-Profil JUWEL 150 LED-Converter 90W, Smart Control SC25	JUWEL Rio 400 & 450, Vision 450

unix Scape-Sets for aquariums without cover and open brand aquariums (scaping tanks)

Description	Set Contents	suitable for aquariums
unix30 black WRGB LED Scape Set	unix30 black WRGB 23,0cm 9,6W Acryl-Adapter Set LED-Converter 25W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 25,0 - 34,0 cm (Liste der Markenaquarien auf daytime.de)
unix40 black WRGB LED Scape Set	unix40 black WRGB 33,0cm 14,4W Acryl-Adapter Set LED-Converter 25W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 35,0 - 44,0 cm (Liste der Markenaquarien auf daytime.de)
unix50 black WRGB LED Scape Set	unix50 black WRGB 43,0cm 19,2W Acryl-Adapter Set LED-Converter 25W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 45,0 - 54,0 cm (Liste der Markenaquarien auf daytime.de)
unix60 black WRGB LED Scape Set	unix60 black WRGB 53,0cm 24,0W Acryl-Adapter Set LED-Converter 25W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 55,0 - 64,0 cm (Liste der Markenaquarien auf daytime.de)
unix70 black WRGB LED Scape Set	unix70 black WRGB 63,0cm 28,8W Acryl-Adapter Set LED-Converter 60W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 65,0 - 74,0 cm (Liste der Markenaquarien auf daytime.de)
unix80 black WRGB LED Scape Set	unix80 black WRGB 73,0cm 33,6W Acryl-Adapter Set LED-Converter 60W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 75,0 - 84,0 cm (Liste der Markenaquarien auf daytime.de)
unix90 black WRGB LED Scape Set	unix90 black WRGB 83,0cm 38,4W Acryl-Adapter Set LED-Converter 60W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 85,0 - 94,0 cm (Liste der Markenaquarien auf daytime.de)
unix100 black WRGB LED Scape Set	unix100 black WRGB 93,0cm 43,2W Acryl-Adapter Set LED-Converter 60W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 95,0 - 104,0 cm (Liste der Markenaquarien auf daytime.de)
unix120 black WRGB LED Scape Set	unix120 black WRGB 113,0cm 52,8W Acryl-Adapter Set LED-Converter 60W, Smart Control SC25	empfohlen für offene Aquarien und Tanks mit einer Länge von 115,0 - 124,0 cm (Liste der Markenaquarien auf daytime.de)